

STCK-KIT 003

STACKING KIT

SAFETY PRECAUTIONS AND GENERAL INFORMATION

The symbols used in this document give notice of important operating instructions and warnings which must be strictly followed.

\triangle	CAUTION	Important operating instructions: explains hazards that could damage a product, including data loss
4	WARNING	Important advice concerning the use of dangerous voltages and the potential risk of electric shock, personal injury or death.
i	IMPORTANT NOTES	Helpful and relevant information bout the topic
	SUPPORTS, TROLLEYS AND CARTS	Information about the use of supports, trolleys and carts. Reminds to move with extreme caution and never tilt.
2	WASTE DISPOSAL	This symbol indicates that this product should not be disposed with your household waste, according to the WEEE directive (2012/19/EU) and your national law.



IMPORTANT NOTES

This manual contains important information about the correct and safe use of the device. Before connecting and using this product, please read this instruction manual carefully and keep it on hand for future reference. The manual is to be considered an integral part of this product and must accompany it when it changes ownership as a reference for correct installation and use as well as for the safety precautions. The company will not assume any responsibility for the incorrect installation and / or use of this product.



IMPORTANT NOTES

Suspending any object is a potentially dangerous operation and should only be attempted by individuals who have a thorough knowledge of the techniques and regulations of rigging objects overhead. The company strongly recommends that all speakers should be suspended taking into account all current national, federal, state and local regulations. It is the responsibility of the installer to ensure that all speakers are safely installed in accordance with all such regulations. The company strongly recommends to inspect the system at least once a year. If any sign of weakness or damage is detected remedial actions should be taken immediately. The user is responsible for making sure that the supporting surfaces and any additional hardware used is capable of supporting the system. Any hardware used to suspend a loudspeaker array that is not provided by or associated with the company is not reccomended and is under the responsibility of others.

SAFETY PRECAUTIONS

- 1. Read these instructions
- 2. Keep these instructions
- **3.** Heed all warnings
- **4.** Follow all the instructions
- **5.** Install in accordance with manufacturer's instructions
- **6.** Only use attachments and accessories specified by the manufacturer
- 7. All the precautions, in particular the safety ones, must be read with special attention, as they provide important information.

Never attempt to carry out any operations, modifications or repairs that are not expressly described in this manual.

The company strongly recommends this product is only installed by professional qualified installers (or specialised firms) who can ensure correct installation and certify it according to the regulations in force.




IMPORTANT NOTES

The company declines all responsabilities if the user applies this accessory to other configurations not mentioned in this manual.


The company reserves the right to make changes without prior notice to rectify any errors and / or omissions. Always refer to the latest version of the manual on the website.


STACKING

Up to 4 GTX10 modules can be stacked on a single or double GTS 29 with the use of the accessory **STACKING KIT STCK-KIT 003**.




On the subwoofer top side, screw the M20 bracket On its seat and place it perpendicularly as shown in the picture.






Screw the M20 bracket into its seat.




Place it perpendicularly.

INSTALLATION


Place the **STACKING KIT STCK-KIT 003** over GTS29 (double or single) making the central round bracket match with ths subwoofer seat.




Fix the **STACKING KIT STCK-KIT 003** to the subwoofer with two Quick Lock Pins on the central bracket.




Place one GTX10 over the stacking kit making the front brackets match eachother, then fix it with a Quick Lock Pin (on both sides).



Lift up the rear side of GTX10 in order to expose the stacking kit rear bracket.





Relatively to the angle indicated on the stacking kit label, move the bracket upwards and forward to set the desired inclination angle of the first cabinet.





Fix the Stacking bar to the M20 Accessory with two Quick Lock Pins

- use Fixing Points A on Subwoofer GTS 19
- use Fixing Points **B** on Subwoofer GTS 19











Example: bracket set to -5° angle

Lower the module and fix the rear brackets with a Quick Lock Pin (A).






Place the second speaker over the first one and fix it on the front side with two Quick Lock Pins.





On the rear side lift up the rear bracket and connect the two speakers. See chaper 7.1 for instrucions.







IMPORTANT NOTE: Up to 4 x GTX10 can be mounted on stacking over a single or double subwoofer GTS29.










WARNING! CAUTION! The system should always be installed by qualified and experienced personnel having the technical know-how or enough specific instructions in order to prevent any danger.


STACKING WITH STABILIZER BRACKETS

Up to 4 GTX10 modules can be stacked on the ground with the use of the **STACKING KIT STCK-KIT 003** (A) mounted on a pair of **STABILIZER BACKETS** (B).

Place the **STABILIZER BRACKETS** on the ground and fix the **STACKING KIT** over them making the lateral seats match eachother.





Fix the **STACKING KIT** to the **STABILIZER BACKETS** with two Quick Lock Pins (one each side).




INSTALLATION

When using this configuration on the floor, make sure the SPACERS are correctly screwed to the **STABILIZER BACKETS** with the two knobs provided, as shown in the picture below.







Fix one or more GTX 10 over the STCKING KIT as described on chapter 7.11.

